

Turnkey Fiber Coupled Diode Laser System

PRODUCT FEATURE

405nm~1920nm
 Turnkey Laser System
 SMF/PMF/MMF Optional
 1mW~50W Output Power
 Built-in TE Cooling & Driver
 90V~240V AC Input
 TTL/Analog Modulation
 Long Lifetime
 High Stability
 Customized Wavelength/Power/Fiber Type



PRODUCT OVERVIEW

Turnkey Fiber Coupled Diode Laser System is the most competitive product of WAVESPECTRUM.

We offer 405nm~1920nm Turnkey Fiber Coupled Laser Source with Single Mode Fiber (SMF), Multimode Fiber (MMF) and Polarization Maintaining Fiber (PMF) . The Output Power is from 1mW to 50W.

The Turnkey Fiber Coupled Diode Laser System contains the Fiber Coupled Laser Module, LD Driver and Temperature Control System. Just need Input 90V~240V AC can work the Laser Source, it is easy to use. To ensure the long-time reliability and power stability, each Laser System will undergo rigorous testing and aging in factory.



Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL
405nm	WSLS-405-015m-4	0 ~ 15mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-030m-4	0 ~ 30mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-050m-4	0 ~ 50mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-080m-4	0 ~ 80mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-100m-4	0 ~ 100mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-015m-PM	0 ~ 15mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-405-030m-PM	0 ~ 30mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-405-050m-PM	0 ~ 50mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-405-080m-PM	0 ~ 80mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-405-100m-PM	0 ~ 100mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-405-200m-M	0 ~ 200mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-300m-M	0 ~ 300mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-1200m-M	0 ~ 1.2W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-002-M	0 ~ 2W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-405-005-M	0 ~ 5W	MM	<650um	90V ~ 240VAC	FC/SMA	√	○	○
445nm	WSLS-445-020m-4	0 ~ 20mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-030m-4	0 ~ 30mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-040m-4	0 ~ 40mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-020m-PM	0 ~ 20mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-445-030m-PM	0 ~ 30mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-445-050m-M	0 ~ 50mW	MM	50um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-002-M	0 ~ 2W	MM	200um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-3500m-M	0 ~ 3.5W	MM	200um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-010-M	0 ~ 10W	MM	200um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-445-020-M	0 ~ 20W	MM	400um	90V ~ 240VAC	FC/SMA	√	○	○
465nm	WSLS-465-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-465-007-M	0 ~ 7W	MM	200um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-465-015-M	0 ~ 15W	MM	400um	90V ~ 240VAC	FC/SMA	√	○	○
488nm	WSLS-488-015m-4	0 ~ 15mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-488-020m-4	0 ~ 20mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-488-015m-PM	0 ~ 15mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-488-020m-PM	0 ~ 20mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-488-040m-M	0 ~ 40mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
505nm	WSLS-505-010m-4	0 ~ 10mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-505-020m-4	0 ~ 20mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-505-010m-PM	0 ~ 10mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-505-020m-PM	0 ~ 20mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-505-030m-M	0 ~ 30mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
WSLS-505-050m-M	0 ~ 50mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○	

Note: √:Yes, ○:Optional, ×:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL
520nm	WSLS-520-010m-4	0 ~ 10mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-520-020m-4	0 ~ 20mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-520-025m-4	0 ~ 25mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-520-010m-PM	0 ~ 10mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-520-020m-PM	0 ~ 20mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-520-025m-PM	0 ~ 25mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-520-050m-M	0 ~ 50mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-520-700m-M	0 ~ 700mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-520-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-520-005-M	0 ~ 5W	MM	400um	90V ~ 240VAC	FC/SMA	√	○	○
525nm	WSLS-525-700m-M	0 ~ 700mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-525-002-M	0 ~ 2W	MM	200um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-525-005-M	0 ~ 5W	MM	400um	90V ~ 240VAC	FC/SMA	√	○	○
635nm	WSLS-635-030m-4	0 ~ 30mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-050m-4	0 ~ 50mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-070m-4	0 ~ 70mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-030m-PM	0 ~ 30mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-635-050m-PM	0 ~ 50mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-635-070m-PM	0 ~ 70mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-635-100m-M	0 ~ 100mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-300m-M	0 ~ 300mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-1800m-M	0 ~ 1.8W	MM	200um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-003-M	0 ~ 3W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-005-M	0 ~ 5W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-635-007-M	0 ~ 7W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
658nm	WSLS-650-050m-4	0 ~ 50mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-650-080m-4	0 ~ 80mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-650-100m-4	0 ~ 100mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-650-030m-PM	0 ~ 30mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-650-050m-PM	0 ~ 50mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-650-080m-PM	0 ~ 80mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-650-100m-M	0 ~ 100mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-650-700m-M	0 ~ 700mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-650-002-M	0 ~ 2W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-650-005-M	0 ~ 5W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
670nm	WSLS-670-003m-4	0 ~ 3mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-670-005m-4	0 ~ 5mW	SM	3um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-670-003m-PM	0 ~ 3mW	PM	3um	90V ~ 240VAC	FC	√	○	○
	WSLS-670-005m-PM	0 ~ 5mW	PM	3um	90V ~ 240VAC	FC	√	○	○

Note: √:Yes, ○:Optional, ×:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL
680nm	WSLS-680-700m-M	0 ~ 700mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-680-002-M	0 ~ 2W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-680-005-M	0 ~ 5W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
685nm	WSLS-685-010m-4	0 ~ 10mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-685-015m-4	0 ~ 15mW	SM	4um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-685-010m-PM	0 ~ 10mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-685-015m-PM	0 ~ 15mW	PM	4um	90V ~ 240VAC	FC	√	○	○
	WSLS-685-030m-M	0 ~ 30mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
760nm	WSLS-760-1500m-M	0 ~ 1.5W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-760-004-M	0 ~ 4W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
785nm	WSLS-785-030m-4	0 ~ 30mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-785-040m-4	0 ~ 40mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-785-030m-PM	0 ~ 30mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-785-040m-PM	0 ~ 40mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-785-003-M	0 ~ 3W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-785-008-M	0 ~ 8W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-785-015-M	0 ~ 15W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
WSLS-785-020-M	0 ~ 20W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○	
808nm	WSLS-808-030m-4	0 ~ 30mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-050m-4	0 ~ 50mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-020m-PM	0 ~ 20mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-808-040m-PM	0 ~ 40mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-808-150m-M	0 ~ 150mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-003-M	0 ~ 3W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-004-M	0 ~ 4W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-005-M	0 ~ 5W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-007-M	0 ~ 7W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-012-M	0 ~ 12W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-015-M	0 ~ 15W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-808-020-M	0 ~ 20W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
830nm	WSLS-830-030m-4	0 ~ 30mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-050m-4	0 ~ 50mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-080m-4	0 ~ 80mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-100m-4	0 ~ 100mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-030m-PM	0 ~ 30mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-830-050m-PM	0 ~ 50mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-830-080m-PM	0 ~ 80mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-830-100m-PM	0 ~ 100mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-830-120m-M	0 ~ 120mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○

Note: √:Yes, ○:Optional, ×:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL
830nm	WSLS-830-001-M	0 ~ 1W	MM	50um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-003-M	0 ~ 3W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-008-M	0 ~ 8W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-010-M	0 ~ 10W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-830-020-M	0 ~ 20W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
850nm	WSLS-850-030m-4	0 ~ 30mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-850-050m-4	0 ~ 50mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-850-070m-4	0 ~ 70mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-850-030m-PM	0 ~ 30mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-850-050m-PM	0 ~ 50mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-850-070m-PM	0 ~ 70mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-850-120m-M	0 ~ 120mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
860nm	WSLS-860-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-860-006-M	0 ~ 6W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-860-010-M	0 ~ 10W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
880nm	WSLS-880-002m-4	0 ~ 2mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-880-002m-PM	0 ~ 2mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-880-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-880-003-M	0 ~ 3W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-880-008-M	0 ~ 8W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-880-010-M	0 ~ 10W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-880-020-M	0 ~ 20W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
905nm	WSLS-905-020m-4	0 ~ 20mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-905-030m-4	0 ~ 30mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-905-020m-PM	0 ~ 20mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-905-030m-PM	0 ~ 30mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-905-050m-M	0 ~ 50mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
915nm	WSLS-915-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-915-010-M	0 ~ 10W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-915-012-M	0 ~ 12W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-915-030-M	0 ~ 30W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-915-050-M	0 ~ 50W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
940nm	WSLS-940-030m-4	0 ~ 30mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-940-050m-4	0 ~ 50mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-940-070m-4	0 ~ 70mW	SM	5um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-940-030m-PM	0 ~ 30mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-940-050m-PM	0 ~ 50mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-940-070m-PM	0 ~ 70mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-940-100m-M	0 ~ 100mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○

Note: √:Yes, ○:Optional, ×:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL
940nm	WSLS-940-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-940-010-M	0 ~ 10W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-940-012-M	0 ~ 12W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-940-030-M	0 ~ 30W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-940-050-M	0 ~ 50W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
980nm	WSLS-980-010m-4	0 ~ 10mW	SM	6um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-980-020m-4	0 ~ 20mW	SM	6um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-980-100m-M	0 ~ 100mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-980-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-980-010-M	0 ~ 10W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-980-012-M	0 ~ 12W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-980-030-M	0 ~ 30W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-980-050-M	0 ~ 50W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
1064nm	WSLS-1064-010m-4	0 ~ 10mW	SM	6um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1064-030m-4	0 ~ 30mW	SM	6um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1064-050m-4	0 ~ 50mW	SM	6um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1064-010m-PM	0 ~ 10mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-1064-030m-PM	0 ~ 30mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-1064-050m-PM	0 ~ 50mW	PM	5um	90V ~ 240VAC	FC	√	○	○
	WSLS-1064-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1064-007-M	0 ~ 7W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1064-020-M	0 ~ 20W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
1210nm	WSLS-1210-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1210-003-M	0 ~ 3W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
1270nm	WSLS-1270-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1270-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1280nm	WSLS-1280-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1280-003-M	0 ~ 3W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
1290nm	WSLS-1290-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1290-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1310nm	WSLS-1310-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1310-010m-9	0 ~ 10mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1310-015m-9	0 ~ 15mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1310-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1310-010m-PM	0 ~ 10mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1310-015m-PM	0 ~ 15mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1310-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1310-003-M	0 ~ 3W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
1330nm	WSLS-1330-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1330-005m-9-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○

Note: √:Yes, ○:Optional, ×:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL
1330nm	WSLS-1330-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1330-003-M	0 ~ 3W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
1350nm	WSLS-1350-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1350-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1370nm	WSLS-1370-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1370-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1390nm	WSLS-1390-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1390-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1410nm	WSLS-1410-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1410-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1430nm	WSLS-1430-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1430-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1450nm	WSLS-1450-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1450-005m-9-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1450-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1450-007-M	0 ~ 7W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1450-010-M	0 ~ 10W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1450-015-M	0 ~ 15W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
1470nm	WSLS-1470-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1470-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1470-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1470-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1470-007-M	0 ~ 7W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1470-010-M	0 ~ 10W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1470-015-M	0 ~ 15W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
1490nm	WSLS-1490-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1490-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1490-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1490-006-M	0 ~ 6W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
1510nm	WSLS-1510-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1510-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1530nm	WSLS-1530-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1530-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1530-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1530-007-M	0 ~ 7W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1530-010-M	0 ~ 10W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1530-015-M	0 ~ 15W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
1550nm	WSLS-1550-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1550-008m-9	0 ~ 8mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1550-010m-9	0 ~ 10mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○


Note: √:Yes, ○:Optional, ×:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL
1550nm	WSLS-1550-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1550-008m-PM	0 ~ 8mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1550-010m-PM	0 ~ 10mW	PM	9um	90V ~ 240VAC	FC	√	○	○
	WSLS-1550-002-M	0 ~ 2W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1550-007-M	0 ~ 7W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1550-010-M	0 ~ 10W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1550-015-M	0 ~ 15W	MM	<400um	90V ~ 240VAC	FC/SMA	√	○	○
1570nm	WSLS-1570-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1570-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1590nm	WSLS-1590-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1590-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1610nm	WSLS-1610-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1610-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1625nm	WSLS-1625-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1625-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1650nm	WSLS-1650-005m-9	0 ~ 5mW	SM	9um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1650-005m-PM	0 ~ 5mW	PM	9um	90V ~ 240VAC	FC	√	○	○
1720nm	WSLS-1720-001-M	0 ~ 1W	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
	WSLS-1720-003-M	0 ~ 3W	MM	<300um	90V ~ 240VAC	FC/SMA	√	○	○
1900nm	WSLS-1900-500m-M	0 ~ 500mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○
1920nm	WSLS-1920-500m-M	0 ~ 500mW	MM	105um	90V ~ 240VAC	FC/SMA	√	○	○

Note: √:Yes, ○:Optional, ×:No.


A100 Package View :

220mm*201mm*87mm



A200 Package View :

280mm*258mm*87mm



A300 Package View :

400mm*370mm*165mm

